

LIST OF CURRENT CLAIMS

1. (Withdrawn) A device for dissecting an object, comprising: a handle, and an incision knife module, formed by at least one set of crossing blades.
2. (Withdrawn) The device according to claim 1, wherein the material of said handle comprises alloy, metal, glass, ceramics or plastic.
3. (Withdrawn) The device according to claim 2, wherein said alloy is stainless steel.
4. (Withdrawn) The device according to claim 1, wherein the material of said incision knife module's blade comprises alloy, metal, glass or ceramics.
5. (Withdrawn) The device according to claim 4, wherein said alloy is stainless steel
6. (Withdrawn) The device according to claim 1, wherein said incision knife module has width ranging from 0.1 mm to 10 mm and depth ranging from 10 μ m to 1 cm.
7. (Withdrawn) The device according to claim 1, wherein said blade has a thickness ranging from 1 μ m to 100 μ m .
8. (Withdrawn) The device according to claim 1, wherein said incision knife module and handle are connected.

9. (Withdrawn) The device according to claim 1, wherein said device is sterilized.

10. (Withdrawn) The device according to claim 1, wherein said object is a cell colony

11. (Currently Amended) A device for dissecting ~~device for cutting~~ an object, comprises:

a handle;

a pair of connection apparatuses, coupled with both sides of one end of the handle;

an elastic apparatus, coupled with lower side of one end of the handle, said elastic apparatus having a base and a plurality of leaf springs outwardly extended from one side of said base, each said leaf spring being independently flexible; and

an incision knife module, coupled between the pair of connection apparatuses,

wherein said incision knife module comprises at least one ~~knife~~ blade having a first end having a cutting element and a second end, and one end of the knife is configured with blades, and the other end of the knife is neighbored to one end of the handle, and facing toward the elastic apparatus, wherein the second end of each said at least one blade corresponds to a respective one of said leaf springs.

12. (Original) The device according to claim 11, wherein the pair of connection apparatuses are integrally formed with the handle.

13. (Original) The device according to claim 11, wherein the pair of connection apparatuses are coupled at both sides of one end of the handle with at least one fixing device.

14. (Currently Amended) The device according to claim 11, wherein ~~the blades are integrally formed with one end of the knife~~ said cutting element is integrally formed with the first end of said at least one blade.

15. (Withdrawn - Currently Amended) The device according to claim 11, wherein ~~the blades are coupled with one end of the knife through a shaft, and the blades are of roller type~~ said cutting element is coupled with the first end of said at least one blade by a shaft, and said cutting element is a roller type cutting element.

16. (Original) The device according to claim 11, wherein the incision knife module is coupled between the pair of connection apparatuses through a fixing apparatus, and is deflectable with the fixing apparatus as the axis, and is limited with the deflected displacement through another fixing apparatus.

17. (Original) The device according to claim 11, wherein the elastic apparatus is integrally formed with the handle.

18. (Original) The device according to claim 11, wherein the elastic apparatus is coupled at the lower side of one end of the handle through at least one fixing apparatus.

Application No.: 10/743,707
Examiner: Sarah WEBB
Art Unit: 3731

19. (Original) The device according to claim 11, wherein the elastic apparatus is extended with at least one leaf spring which can be independently forced and deformed, and the leaf spring is carried with only one corresponding blade.

20. (Original) The device according to claim 11, wherein said object is a cell colony.